

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	297	( API\$3 or ( application near2 programming near2 interfac\$3) or call\$3 ) with ( UI or ( user\$3 near3 interfac\$3) ) & ( untrust\$3 or un-trust\$3 or nontrust\$3 or non-trust\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 09:15
L25	970	( request\$3 with access\$3 same respons\$3 with format\$3) & ( client \$3 or server\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 10:05
L26	513	( request\$3 with access\$3 with respons\$3 with format\$3) & ( client \$3 or server\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 10:05
L27	68	( request\$3 with access\$3 same respons\$3 with format\$3).ab. & ( client\$3 or server \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 10:06
L28	67	( request\$3 with access\$3 same respons\$3 with ( formatted or formatting format \$1) ).ab. & ( client \$3 or server\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 10:07
L29	699	( request\$3 with access\$3 same respons\$3 near6 ( formatted or formatting format \$1) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 10:07

L30	290	( request\$3 with access\$3 with respons\$3 near6 ( formatted or formatting format \$1) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 10:08
L31	113	( request\$3 with ( defin\$3 or specif \$3) with respons \$3 near6 ( formatted or formatting format \$1) ) same access \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 10:08
L32	34	31 & client\$3 with format\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 10:33
L33	39	( request\$3 with access\$3 with respons\$3 near6 ( formatted or formatting format \$1) near6 user\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 10:42
L34	50	( request\$3 same access\$3 with respons\$3 near6 ( formatted or formatting format \$1) near6 user\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 10:57
L35	117	( access\$3 with respons\$3 near6 ( formatted or formatting format \$1) near6 user\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 11:01
L36	26	( request\$3 with ( defin\$3 or specif \$3) with repl\$3 near6 ( formatted or formatting format\$1) ) same access\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 11:34

L37	4	( request\$3 with access\$3 with repl \$3 near6 ( formatted or formatting format \$1) near6 user\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 11:35
L38	19	( access\$3 with repl\$3 near6 ( formatted or formatting format \$1) near6 user\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 11:36
L39	275	( access\$3 same respons\$3 near6 ( formatted or formatting format \$1) near6 user\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 11:37
L40	238	( access\$3 same respons\$3 with ( formatted or formatting format \$1) with user\$3 near6 request\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 11:43
L41	97	( access\$3 with respons\$3 with ( formatted or formatting format \$1) with user\$3 near6 request\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 11:44
L42	129	( access\$3 same respons\$3 with ( formatted or formatting format \$1) near6 user\$3 near6 request\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 11:52
L43	100	( access\$3 same respons\$3 near6 ( formatted or formatting format \$1) near6 user\$3 with request\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 12:05
L44	620	access\$3 same ( respons\$3 or request\$3) same trigger\$3 with typ \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 12:48

L45	25	( access\$3 same ( respons\$3 or request\$3) same trigger\$3 with typ \$3 ).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 12:51
L46	1	( access\$3 same client\$3 same server same trigger \$3 with typ\$3 ).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 12:59
L47	1	( access\$3 same client\$3 same server\$3 same trigger\$3 with typ \$3 ).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 12:59
L48	60	( access\$3 same client\$3 same server\$3 same trigger\$3 with typ \$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 13:02
L49	7	( access\$3 same client\$3 same server\$3 same trigger\$3 with typ \$3 ) same ( image \$3 or digital\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 13:10
L50	43	( ( client\$3 or server\$3 ) same trigger\$3 near6 typ \$3 ) same ( image \$3 or digital\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 13:13
L51	830	( ( client\$3 or server\$3 ) same trigger\$3 near6 typ \$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 13:28

L52	101	(( client\$3 or server\$3 ) same trigger\$3 near6 typ\$3 ) with ( send\$3 or transfer\$3 or provid\$3 or receiv\$3 or submitt\$3 or rout\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 13:29
L53	35	(( client\$3 or server\$3 ) same trigger\$3 near6 typ\$3 ) with ( send\$3 or transfer\$3 or provid\$3 or receiv\$3 or submitt\$3 or rout\$3) & image\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 13:31
L54	0	(( client\$3 or server\$3 ) same trigger\$3 near6 typ\$3 ) with ( send\$3 or transfer\$3 or provid\$3 or receiv\$3 or submitt\$3 or rout\$3) with available\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 13:45
L55	9	(( client\$3 or server\$3 ) same trigger\$3 near6 typ\$3 ) with ( send\$3 or transfer\$3 or provid\$3 or receiv\$3 or submitt\$3 or rout\$3) same available\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 13:46
L56	0	(( client\$3 or server\$3 ) & trigger\$3 near6 typ\$3 ) with ( send\$3 or transfer\$3 or provid\$3 or receiv\$3 or submitt\$3 or rout\$3) with available\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 13:47
L57	43	( trigger\$3 near6 typ\$3 ) with ( send\$3 or transfer\$3 or provid\$3 or receiv\$3 or submitt\$3 or rout\$3) with available\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 13:49

L59	1047	(719/310).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 15:26
L60	0	1 & 58	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 15:26
L64	0	59 & ( request\$3 with access\$3 with respons\$3 near6 ( formatted or formatting format \$1) near6 user\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 15:27
L65	1	59 & ( ( client\$3 or server\$3 ) same trigger\$3 near6 typ \$3 ) same ( image \$3 or digital\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 15:27
L66	0	59 & ( trigger\$3 near6 typ\$3 ) with ( send\$3 or transfer\$3 or provid \$3 or receiv\$3 or submitt\$3 or rout \$3 ) with available \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 15:28
L67	1	59 & ( request\$3 with ( defin\$3 or specif\$3 ) with repl \$3 near6 ( formatted or formatting format \$1) ) same access \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 15:28
L68	3	59 & ( ( client\$3 or server\$3 ) same trigger\$3 near6 typ \$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 15:28

L69	3	59 & ( ( client\$3 or server\$3 ) same trigger\$3 near6 typ \$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 15:28
L70	0	59 & ( access\$3 same respons\$3 near6 ( formatted or formatting format\$1) near6 user\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 15:28
L71	3	59 & ( request\$3 with access\$3 same respons\$3 near6 ( formatted or formatting format\$1) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 15:29
L72	0	59 & ( access\$3 same respons\$3 near6 ( formatted or formatting format\$1) near6 user\$3 with request \$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 15:29
L73	0	59 & ( access\$3 same client\$3 same server\$3 same trigger\$3 with typ\$3 ) same ( image\$3 or digital \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 15:29

5/ 13/ 2008 3:30:56 PM